IEE Proceedings

GENERATION, TRANSMISSION AND DISTRIBUTION

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

Volume 147 2000 UK ISSN 1350–2360

HONORARY EDITORS

Prof. E.J. Handschin (*University of Dortmund*)
Prof. J.R. McDonald (*University of Strathclyde*)
Dr. B. Fox (*The Queen's University of Belfast*)

Pages in issues of *IEE Proc., Gener. Transm. Distrib.* 2000

Pages	Issue No.	Date
1–68	1	January
69–136	2	March
137–196	3	May
197–268	4	July
269–316	5	September
317–432	6	November

This publication is copyright under the Berne Convention and the Universal Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright, Designs and Patents Act 1988, Part 1, Section 38, whereby a single copy of an article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by The Copyright (Librarians and Archivists) (Copying of Copyright Material) Regulations 1989: SI 1989/1212, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of individual contributions on condition that a full reference to the source is shown.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $20.00 per copy is paid directly to the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, USA (1350–2360/2000 $20.00). This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

©2000: The Institution of Electrical Engineers

Chief executive and Secretary of the IEE: Alf Roberts BSc PhD CEng FIEE FInstP
Managing Editor: Gill Wheeler; *Editor*: Matthew Deaves

Printed by: Black Bear Press Limited, Cambridge, United Kingdom

IEE Proceedings

GENERATION, TRANSMISSION AND DISTRIBUTION

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

Volume 147 2000 UK ISSN 1350–2360

HONORARY EDITORS

Prof. E.J. Handschin (*University of Dortmund*)
Prof. J.R. McDonald (*University of Strathclyde*)
Dr. B. Fox (*The Queen's University of Belfast*)

Pages in issues of *IEE Proc., Gener. Transm. Distrib.* 2000

Pages	Issue No.	Date
1–68	1	January
69–136	2	March
137–196	3	May
197–268	4	July
269–316	5	September
317–432	6	November

This publication is copyright under the Berne Convention and the Universal Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright, Designs and Patents Act 1988, Part 1, Section 38, whereby a single copy of an article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by The Copyright (Librarians and Archivists) (Copying of Copyright Material) Regulations 1989: SI 1989/1212, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of individual contributions on condition that a full reference to the source is shown.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $20.00 per copy is paid directly to the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, USA (1350–2360/2000 $20.00). This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

©2000: The Institution of Electrical Engineers

Chief executive and Secretary of the IEE: Alf Roberts BSc PhD CEng FIEE FInstP
Managing Editor: Gill Wheeler; *Editor*: Matthew Deaves

Printed by: Black Bear Press Limited, Cambridge, United Kingdom

Index

IEE Proceedings
Generation, Transmission and Distribution
Vol. 147, 2000

Author Index

A

Abdel-Magid, Y.L. p387
Abdelkader, S. p87, p183
Abido, M.A. p387
Agneholm, E. p44
Ahmad, H.B. p269
Ahmed, S.S. p269
Al-Amoudi, A. p310
Arrillaga, J. p126
Arrillage, J. p105

B

Bakirtzis, A.G. p131
Bao, L. p395
Bashar, S. p269
Bathurst, G.N. p126
Beroual, A. p279
Billinton, R. p51, p274
Bradley, M.E. p99
Burnett, J. p322

C

Chan, C.K. p292
Chan, K.W. p367
Chan, W.L. p361
Chatterjee, A.K. p269
Chebbo, A.M. p99
Chen, W.L. p355
Chen, Y.H. p425
Cheng, C.-C. p261
Cheng, F.-S. p349
Chikhani, A.Y. p373
Chung, C.Y. p37, p69, p223
Conlon, M.F. p23
Coonick, A.H. p239
Curcic, S. p7, p207

D

Daalder, J. p44
Daniels, A.R. p367
Dash, P.K. p15
David, A.K. p223
Dhahbi-Megriche, N. p279
Dixon, J. p31
Donaldson, E.F. p304
Du, Y. p322
Du, Z.P. p105
Duan, X. p395
Dunn, R.W. p367

E

Edwards, A.R. p367
Eissa, M.M. p317
Ekwue, A.O. p99
El Desouky, A.A. p213
El-Debeiky, S.M. p62
El-Kateb, M. p87
El-Saadany, E.F. p373
Elkateb, M. p183
Elkateb, M.M. p213
Elmitwally, A. p87, p183
Elshafei, A.L. p285

F

Farzaneh, M. p81
Feng, Z. p76
Flynn, D. p157
Fox, B. p157

G

Ganapathy, V. p171
Garces, F. p143
Garcia, A. p149
Ghassemi, F. p417
Gibson, J.R. p304
Gill, H.S. p252
Goel, L. p381
Gooi, H.B. p292
Goto, M. p245
Griffiths, H. p231
Gupta, R. p381

H

Hadjicostis, C.N. p299
Haffner, S. p149
Haque, M.H. p218
Hasanien, N.E. p62
He, Y. p395
Hoese, A. p143
Hu, L. p329
Hu, W. p245
Huang, S.R. p425
Hung, K.Y. p425

J

Jabr, R.A. p239
Jasmon, G.B. p171
Jenkins, N. p7, p207
Jones, G.R. p304

K

Kandil, M.S. p62
Kang, F.-C. p164
Karkoub, M. p401
Kashem, M.A. p171
Kertesz, V. p121
Konishi, H. p245
Koppikar, D.A. p197
Kulkarni, V. p197
Kurtovic, M. p57

L

Lai, L.L. p355, p361
Li, F. p93
Li, G. p112
Li, Y.Z. p137
Liang, R.-H. p164, p261
Lie, T.T. p112, p401
Lin, W.-M. p336, p349
Lo, K.L. p112
Lu, Q. p245

M

Mahmoud, M.S. p401
Malik, O.P. p317
Mantovani, J. p149
Masters, C.L. p207
Mei, S. p245
Mishra, S. p15
Monticelli, A. p149
Moran, L. p31
Morsi, M.F. p285
Mutale, J. p7, p207

N

Nam, K. p409

O

Ong, Y.S. p292

P

Pan, J. p274
Panda, G. p15
Pastorini, I. p31
Persaud, S. p157
Pilling, N.A. p304

R

Ran, L. p329
Romero, R. p149

S

Sachdev, M.S. p252
Salam, M.A. p269
Salama, M.M.A. p373
Semlyen, A. p1
Shaltout, A.A. p285
Shrestha, G.B. p112
Shtash, M. p1
Sidhu, T.S. p252
Smeets, R.P.P. p121
So, A.T.P. p355, p361
Soliman, H.M. p285
Song, H.-S. p409
Song, Y.H. p245
Strbac, G. p7, p207

T

Tay, H.C. p23
Taylor, B.T. p304
Teng, J.-H. p202
Tsang, K.M. p37, p69
Tsay, M.-T. p336, p349
Tse, C.T. p37, p69, p223
Turowski, J. p197

V

Verghese, G.C. p299
Viel, E. p231
Vlachogiannis, J.G. p342
Vujevic, S. p57

W

Wallace, R. p31
Wan, H.B. p99
Wang, H.F. p93
Wang, K.W. p37, p69, p223
Wang, P. p51
Watson, N.R. p105, p126
Wong, K.P. p190

X

Xiao, I.J. p176
Xu, W. p76

Y

Yang, C.-D. p336
Yu, C.W. p223
Yuryevich, J. p190

Z

Zhang, J. p81
Zhang, L. p176, p310
Zhang, S.H. p137
Zoumas, C.E. p131
Zribi, M. p401

CABLES AND OVERHEAD LINES

Experimental investigation into harmonic impedance of low-voltage cables p322
Fault current distribution in HV cable systems p231
Optimal location of shunt FACTS devices in long transmission lines p218
Power system monitoring using Petri net embeddings p299
Principles of modular harmonic power flow methodology p1

CLOSED LOOP SYSTEMS

H_∞-controllers for linearised time-delay power systems p401

COMPUTER GRAPHICS

Three-dimensional thermal imaging for power equipment monitoring p355

CONTROL SYSTEM ANALYSIS

Decentralised nonlinear H_∞ excitation control based on regulation linearisation p245
Design and application of co-ordinated multiple FACTS controllers p112
Fast computation of post-contingency system margins for voltage stability assessments of large-scale power systems p76
H_∞-controllers for linearised time-delay power systems p401
Harmonic cancellation for HVDC systems using a notch-filter controlled active DC filter p176
Multivariable sampled regulators for the co-ordinated control of STATCOM AC and DC voltage p93
MVA constraint handling method for unified power flow controller in loadflow evaluation p190
Network reconfiguration for enhancement of voltage stability in distribution networks p171
Neural network controlled three-phase four-wire shunt active power filter p87
Optimal location of shunt FACTS devices in long transmission lines p218
Parameter optimisation of robust power system stabilisers by probabilistic approach p69
Robust power system stabiliser p285
Synthesis of sensitivity coefficients for controller parameters of static VAr compensator p223
Universal power quality manager with a new control scheme p183

CONTROL SYSTEM STABILITY

Decentralised nonlinear H_∞ excitation control based on regulation linearisation p245
Fast computation of post-contingency system margins for voltage stability assessments of large-scale power systems p76
H_∞-controllers for linearised time-delay power systems p401
Network reconfiguration for enhancement of voltage stability in distribution networks p171
Parameter optimisation of robust power system stabilisers by probabilistic approach p69
Robust power system stabiliser p285
Synthesis of sensitivity coefficients for controller parameters of static VAr compensator p223

CONTROL SYSTEM SYNTHESIS

Decentralised nonlinear H_∞ excitation control based on regulation linearisation p245
Design and application of co-ordinated multiple FACTS controllers p112
Fast computation of post-contingency system margins for voltage stability assessments of large-scale power systems p76
Harmonic cancellation for HVDC systems using a notch-filter controlled active DC filter p176
Multivariable sampled regulators for the co-ordinated control of STATCOM AC and DC voltage p93
MVA constraint handling method for unified power flow controller in loadflow evaluation p190
Parameter optimisation of robust power system stabilisers by probabilistic approach p69
Robust power system stabiliser p285
Synthesis of sensitivity coefficients for controller parameters of static VAr compensator p223
Universal power quality manager with a new control scheme p183

ELECTRIC DISCHARGES

Dynamic model of discharge propagation on polluted surfaces under impulse voltages p279
Modelling of DC arc discharge on ice surfaces p81

ELECTRIC MACHINES

Three-dimensional thermal imaging for power equipment monitoring p355

ELECTROMAGNETIC FIELDS

Fast 3-dimensional interactive computation of stray field and losses in asymmetric transformers p197

ELECTRIC VARIABLES CONTROL

Development of an unbalanced switching scheme for a current source inverter p23
Multivariable sampled regulators for the co-ordinated control of STATCOM AC and DC voltage p93
MVA constraint handling method for unified power flow controller in loadflow evaluation p190
Network reconfiguration for enhancement of voltage stability in distribution networks p171
Neural network controlled three-phase four-wire shunt active power filter p87
Optimal location of shunt FACTS devices in long transmission lines p218
Synthesis of sensitivity coefficients for controller parameters of static VAr compensator p223
TS-fuzzy controller for UPFC in a multimachine power system p15

ENERGY CONVERSION

Application of radial basis function networks for solar-array modelling and maximum power-point prediction p310
Development of an unbalanced switching scheme for a current source inverter p23
Modelling of small secondary energy storage units in long-term planning p143
Use of superconducting magnetic energy storage device in a power system to permit delayed tripping p269

ENGINEERING COMPUTING

Microprocessor-based busbar protection system p252
Universal power quality manager with a new control scheme p183

ENVIRONMENTAL ASPECTS

Emission control research of spot markets for separate generation systems p425

EXPERT SYSTEMS

Hybrid adaptive techniques for electric-load forecast using ANN and ARIMA p213
Rule-based system for determining unit locations of a developed generation expansion plan for transmission planning p62

FEEDBACK

Decentralised nonlinear H_∞ excitation control based on regulation linearisation p245

FIBRE OPTIC SENSORS

Hybrid optical current transformer with optical and power-line energisation p304

FILTERS AND FILTERING

Instantaneous phase-angle estimation algorithm under unbalanced voltage-sag conditions p409
Neural network controlled three-phase four-wire shunt active power filter p87

FUZZY CONTROL

TS-fuzzy controller for UPFC in a multimachine power system p15
Universal power quality manager with a new control scheme p183

IMAGE SENSORS

Three-dimensional thermal imaging for power equipment monitoring p355

INSULATED GATE FIELD EFFECT TRANSISTORS

Neural network controlled three-phase four-wire shunt active power filter p87

INSULATORS AND INSULATION

Dynamic model of discharge propagation on polluted surfaces under impulse voltages p279
Modelling of DC arc discharge on ice surfaces p81

MATHEMATICAL TECHNIQUES

Direct method for calculation of AC side harmonics and interharmonics in an HVDC system p329
H_∞-controllers for linearised time-delay power systems p401
New concept in AC power theory p417
Power system monitoring using Petri net embeddings p299
Principles of modular harmonic power flow methodology p1

MEASUREMENT OF SPECIFIC VARIABLES

Evaluation of high-voltage circuit breaker performance with a validated arc model p121
Experimental investigation into harmonic impedance of low-voltage cables p322
Handling current-magnitude measurement in transmission and distribution system state estimator p202

MULTIVARIABLE CONTROL SYSTEMS

Decentralised nonlinear H_∞ excitation control based on regulation linearisation p245
Fast computation of post-contingency system margins for voltage stability assessments of large-scale power systems p76
Multivariable sampled regulators for the co-ordinated control of STATCOM AC and DC voltage p93
MVA constraint handling method for unified power flow controller in loadflow evaluation p190

NEURAL NETWORKS

Application of radial basis function networks for solar-array modelling and maximum power-point prediction p310
Hybrid adaptive techniques for electric-load forecast using ANN and ARIMA p213
Initial applications of complex artificial neural networks to load-flow analysis p361
Neural network controlled three-phase four-wire shunt active power filter p87

On-line dynamic security contingency screening using artificial neural networks p367
Thermal generating unit commitment using an extended mean field annealing neural network p164

NONLINEAR CONTROL SYSTEMS

Decentralised nonlinear H_∞ excitation control based on regulation linearisation p245
TS-fuzzy controller for UPFC in a multimachine power system p15

NUMERICAL ANALYSIS

Adaptive frequency-selection method for a Newton solution of harmonics and interharmonics p126
Earthing grid parameters with conductor surrounded by an additional substance p57
Improved probabilistic method for power system dynamic stability studies p37
Instantaneous phase-angle estimation algorithm under unbalanced voltage-sag conditions p409
MVA constraint handling method for unified power flow controller in loadflow evaluation p190
Parameter optimisation of robust power system stabilisers by probabilistic approach p69
Robust design of multimachine power system stabilisers using tabu search algorithm p387
Robust power system stabiliser p285

OPTIMAL CONTROL

Decentralised nonlinear H_∞ excitation control based on regulation linearisation p245
Design and application of co-ordinated multiple FACTS controllers p112
H_∞-controllers for linearised time-delay power systems p401

OPTIMISATION

Branch and bound algorithm for transmission system expansion planning using a transportation model p149
Distribution feeder reconfiguration with refined genetic algorithm p349
Distribution system planning with evolutionary programming and a reliability cost model p336
Homogeneous interior point method for constrained power scheduling p239
Optimal location of shunt FACTS devices in long transmission lines p218
Parameter optimisation of robust power system stabilisers by probabilistic approach p69
Robust design of multimachine power system stabilisers using tabu search algorithm p387
Thermal generating unit commitment using an extended mean field annealing neural network p164

PARAMETER ESTIMATION

Instantaneous phase-angle estimation algorithm under unbalanced voltage-sag conditions p409

PATTERN RECOGNITION

On-line dynamic security contingency screening using artificial neural networks p367

POWER CONVERTERS

Development of an unbalanced switching scheme for a current source inverter p23
Instantaneous phase-angle estimation algorithm under unbalanced voltage-sag conditions p409
MVA constraint handling method for unified power flow controller in loadflow evaluation p190
Neural network controlled three-phase four-wire shunt active power filter p87
Series active power filter compensates current harmonics and voltage unbalance simultaneously p31
TS-fuzzy controller for UPFC in a multimachine power system p15
Universal power quality manager with a new control scheme p183

POWER ELECTRONICS

Neural network controlled three-phase four-wire shunt active power filter p87

POWER ENGINEERING COMPUTING

Algorithms for automatic generation of one-line diagrams p292
Application of radial basis function networks for solar-array modelling and maximum power-point prediction p310
Design and application of co-ordinated multiple FACTS controllers p112
Fast 3-dimensional interactive computation of stray field and losses in asymmetric transformers p197
Hybrid adaptive techniques for electric-load forecast using ANN and ARIMA p213
Initial applications of complex artificial neural networks to load-flow analysis p361
Method for alleviating voltage limit violations using combined DC optimisation and AC power flow technique p99
Microprocessor-based busbar protection system p252
On-line dynamic security contingency screening using artificial neural networks p367
Rule-based system for determining unit locations of a developed generation expansion plan for transmission planning p62
Three-dimensional thermal imaging for power equipment monitoring p355
Universal power quality manager with a new control scheme p183

POWER SYSTEM CONTROL

Analysis of voltage collapse mechanisms in state space p395
Decentralised nonlinear H_∞ excitation control based on regulation linearisation p245
Design and application of co-ordinated multiple FACTS controllers p112
Development of an unbalanced switching scheme for a current source inverter p23
Fast computation of post-contingency system margins for voltage stability assessments of large-scale power systems p76
H_∞-controllers for linearised time-delay power systems p401
Harmonic cancellation for HVDC systems using a notch-filter controlled active DC filter p176
Improved probabilistic method for power system dynamic stability studies p37
Method for alleviating voltage limit violations using combined DC optimisation and AC power flow technique p99
Microprocessor-based busbar protection system p252
Multivariable sampled regulators for the co-ordinated control of STATCOM AC and DC voltage p93
MVA constraint handling method for unified power flow controller in loadflow evaluation p190
Network reconfiguration for enhancement of voltage stability in distribution networks p171
Neural network controlled three-phase four-wire shunt active power filter p87
On-line dynamic security contingency screening using artificial neural networks p367
Optimal location of shunt FACTS devices in long transmission lines p218
Parameter optimisation of robust power system stabilisers by probabilistic approach p69
Robust design of multimachine power system stabilisers using tabu search algorithm p387
Robust power system stabiliser p285
Synthesis of sensitivity coefficients for controller parameters of static VAr compensator p223
TS-fuzzy controller for UPFC in a multimachine power system p15
Universal power quality manager with a new control scheme p183

POWER SYSTEM MANAGEMENT

Accurate model for contribution of generation to transmission system effect on charges and congestion management p342
Cold load pick-up of residential load p44
Concise method for evaluating the probability distribution of the marginal cost of power generation p137
Design and application of co-ordinated multiple FACTS controllers p112
Direct method for calculation of AC side harmonics and interharmonics in an HVDC system p329
Emission control research of spot markets for separate generation systems p425
Extending health considerations in subtransmission systems to include reliability worth p381
Homogeneous interior point method for constrained power scheduling p239
Lambda of Lagrangian relaxation solution to unit commitment problem p131
Method for alleviating voltage limit violations using combined DC optimisation and AC power flow technique p99
Multivariable sampled regulators for the co-ordinated control of STATCOM AC and DC voltage p93
Optimum load-shedding technique to reduce the total customer interruption cost in a distribution system p51
Synthesis of sensitivity coefficients for controller parameters of static VAr compensator p223
Thermal generating unit commitment using an extended mean field annealing neural network p164

POWER SYSTEM PROTECTION

Earthing grid parameters with conductor surrounded by an additional substance p57
Hybrid optical current transformer with optical and power-line energisation p304
Investigation of impedance based protection technique for EHV 3-terminal double circuit lines p317
Microprocessor-based busbar protection system p252

POWER SYSTEMS AND APPLICATIONS

Cold load pick-up of residential load p44

POWER SYSTEMS AND PLANTS

Algorithms for automatic generation of one-line diagrams p292
Allocation of losses in distribution systems with embedded generation p7
Application of Monte Carlo simulation to optimal maintenance scheduling in a parallel-redundant system p274
Application of radial basis function networks for solar-array modelling and maximum power-point prediction p310
Branch and bound algorithm for transmission system expansion planning using a transportation model p149
Combined regression-fuzzy approach for short-term load forecasting p261
Concise method for evaluating the probability distribution of the marginal cost of power generation p137
Distribution system planning with evolutionary programming and a reliability cost model p336
Emission control research of spot markets for separate generation systems p425
Fault current distribution in HV cable systems p231
Handling current-magnitude measurement in transmission and distribution system state estimator p202
Harmonic cancellation for HVDC systems using a notch-filter controlled active DC filter p176
Homogeneous interior point method for constrained power scheduling p239
Hybrid adaptive techniques for electric-load forecast using ANN and ARIMA p213
Hybrid optical current transformer with optical and power-line energisation p304
Impact of remotely connected wind turbines on steady state operation of radial distribution networks p157
Investigation of impedance based protection technique for EHV 3-terminal double circuit lines p317
Modelling of small secondary energy storage units in long-term planning p143
Modified symbolic observability for harmonic state estimation p105
Network reconfiguration for enhancement of voltage stability in distribution networks p171
Neural network controlled three-phase four-wire shunt active power filter p87
New concept in AC power theory p417
Optimal location of shunt FACTS devices in long transmission lines p218
Passive filter design for harmonic reactive power compensation in single-phase circuits supplying nonlinear loads p373
Power system monitoring using Petri net embeddings p299
Principles of modular harmonic power flow methodology p1

Rule-based system for determining unit locations of a developed generation expansion plan for transmission planning p62
Series active power filter compensates current harmonics and voltage unbalance simultaneously p31
Statistical evaluation of voltages in distribution systems with embedded wind generation p207
Thermal generating unit commitment using an extended mean field annealing neural network p164
Use of superconducting magnetic energy storage device in a power system to permit delayed tripping p269

POWER TRANSMISSION AND DISTRIBUTION

Accurate model for contribution of generation to transmission system effect on charges and congestion management p342
Adaptive frequency-selection method for a Newton solution of harmonics and interharmonics p126
Allocation of losses in distribution systems with embedded generation p7
Branch and bound algorithm for transmission system expansion planning using a transportation model p149
Design and application of co-ordinated multiple FACTS controllers p112
Direct method for calculation of AC side harmonics and interharmonics in an HVDC system p329
Distribution feeder reconfiguration with refined genetic algorithm p349
Distribution system planning with evolutionary programming and a reliability cost model p336
Experimental investigation into harmonic impedance of low-voltage cables p322
Extending health considerations in subtransmission systems to include reliability worth p381
Handling current-magnitude measurement in transmission and distribution system state estimator p202
Harmonic cancellation for HVDC systems using a notch-filter controlled active DC filter p176
Impact of remotely connected wind turbines on steady state operation of radial distribution networks p157
Improved probabilistic method for power system dynamic stability studies p37
Initial applications of complex artificial neural networks to load-flow analysis p361
Investigation of impedance based protection technique for EHV 3-terminal double circuit lines p317
Method for alleviating voltage limit violations using combined DC optimisation and AC power flow technique p99
Modified symbolic observability for harmonic state estimation p105
MVA constraint handling method for unified power flow controller in loadflow evaluation p190
Network reconfiguration for enhancement of voltage stability in distribution networks p171
Neural network controlled three-phase four-wire shunt active power filter p87
Optimal location of shunt FACTS devices in long transmission lines p218
Optimum load-shedding technique to reduce the total customer interruption cost in a distribution system p51
Passive filter design for harmonic reactive power compensation in single-phase circuits supplying nonlinear loads p373
Principles of modular harmonic power flow methodology p1
Rule-based system for determining unit locations of a developed generation expansion plan for transmission planning p62
Series active power filter compensates current harmonics and voltage unbalance simultaneously p31
Statistical evaluation of voltages in distribution systems with embedded wind generation p207
TS-fuzzy controller for UPFC in a multimachine power system p15
Universal power quality manager with a new control scheme p183

RELIABILITY

Application of Monte Carlo simulation to optimal maintenance scheduling in a parallel-redundant system p274
Distribution system planning with evolutionary programming and a reliability cost model p336
Extending health considerations in subtransmission systems to include reliability worth p381
Modelling of small secondary energy storage units in long-term planning p143
Optimum load-shedding technique to reduce the total customer interruption cost in a distribution system p51

SEMICONDUCTOR DEVICES

Neural network controlled three-phase four-wire shunt active power filter p87

SOFTWARE TECHNIQUES

Algorithms for automatic generation of one-line diagrams p292

STATISTICAL ANALYSIS

Application of Monte Carlo simulation to optimal maintenance scheduling in a parallel-redundant system p274
Combined regression-fuzzy approach for short-term load forecasting p261
Concise method for evaluating the probability distribution of the marginal cost of power generation p137
Impact of remotely connected wind turbines on steady state operation of radial distribution networks p157
Improved probabilistic method for power system dynamic stability studies p37
Modelling of small secondary energy storage units in long-term planning p143
Parameter optimisation of robust power system stabilisers by probabilistic approach p69
Statistical evaluation of voltages in distribution systems with embedded wind generation p207

SUPERCONDUCTING MATERIALS AND DEVICES

Development of an unbalanced switching scheme for a current source inverter p23
Use of superconducting magnetic energy storage device in a power system to permit delayed tripping p269

SWITCHGEAR

Evaluation of high-voltage circuit breaker performance with a validated arc model p121

SYNCHRONOUS MACHINES

Principles of modular harmonic power flow methodology p1

TRANSFORMERS

Analysis of voltage collapse mechanisms in state space p395
Fast 3-dimensional interactive computation of stray field and losses in asymmetric transformers p197
Hybrid optical current transformer with optical and power-line energisation p304
Network reconfiguration for enhancement of voltage stability in distribution networks p171

USER INTERFACES

Algorithms for automatic generation of one-line diagrams p292